




外球面轴承 C

insert bearing





R3 SEAL



F SEAL

UC200 M-F

轴径 (d)

(min.) | (mm)

轴承型号

外形尺寸 (mm)

D

d1

Bi

n

m

Be

G

止动螺钉规格
(mm)
(UNF)



载荷 (Kgf)

Cr

Cor

重量

1/2	12	UC 201 M-F												
	15	UC 201-08 M-F												
5/8		UC 202 M-F												
	17	UC 202-10 M-F												
11/16		UC 203 M-F												
		UC203-11 M-F												
			47,0	29,0	31,0	12,7	18,3	16,0	4,5	M5x0,8 1/4-28	1310	680	0,20	
3/4		UC 204-12 M-F												
	20	UC 204 M-F												
			47,0	29,0	31,0	12,7	18,3	16,0	5,0	M6x1 1/4-28	1310	680	0,20	
13/16		UC 205-13 M-F												
7/8		UC 205-14 M-F												
15/16		UC 205-15 M-F												
	25	UC 205 M-F												
1		UC 205-16 M-F												
			52,0	34,0	34,0	14,3	19,7	17,0	5,5	M6x1 1/4-28	1430	800	0,20	
1		UC 206-16 M-F												
1-1/16		UC 206-17 M-F												
1-1/8		UC 206-18 M-F												
	30	UC 206 M-F												
1-3/16		UC 206-19 M-F												
1-1/4		UC 206-20 M-F												
			62,0	40,5	38,1	15,9	22,2	19,0	6,0	M6x1 1/4-28	2000	1140	0,30	
1-3/16		UC 207-19 M-F												
1-1/4		UC 207-20 M-F												
1-5/16		UC 207-21 M-F												
1-3/8		UC 207-22 M-F												
	35	UC 207 M-F												
1-7/16		UC 207-23 M-F												
			72,0	48,0	42,9	17,5	25,4	20,0	6,5	M8x1 5/16-24	2640	1550	0,50	
1-7/16		UC208-23 M-F												
1-1/2		UC 208-24 M-F												
1-9/16		UC 208-25 M-F												
	40	UC 208 M-F												
1-5/8		UC 208 -26 M-F												
			80,0	53,0	49,2	19,0	30,2	21,0	8,0	M8x1 5/16-24	2990	1860	0,65	
1-2/2		UC209-24 M-F												
1-5/8		UC 209-26 M-F												
1-11/16		UC 209-27 M-F												
1-3/4		UC 209-28 M-F												
	45	UC 209 M-F												
1-13/16		UC209-29 M-F												
			85,0	57,0	49,2	19,0	30,2	22,0	8,0	M8x1 5/16-24	3350	2120	0,70	
1-11/16		UC210-27 M-F												
1-3/4		UC210-28 M-F												
1-13/16		UC 210-29 M-F												
1-7/8		UC 210-30 M-F												
1-15/16		UC 210-31 M-F												
	50	UC 210 M-F												
2		UC 210-32 M-F												
			90,0	62,0	51,6	19,0	32,6	23,0	9,0	M10x1 3/8-24	3600	2370	0,80	



R3 SEAL

F SEAL

UC200 M-F

轴径 (d)

(min.) | (mm)

轴承型号

外形尺寸 (mm)

D

d1

Bi

n

m

Be

G

止动螺钉规格
(mm)
(UNF)

载荷 (Kgf)

Cr

Cor

重量

1-15/16 2 2-1/16 2-1/8 2-3/16 2-1/4	55	UC211-31 M-F UC 211-32 M-F UC211-33 M-F UC 211-34 M-F UC 211 M-F UC 211-35 M-F UC211-36 M-F	100,0	69,0	55,6	22,2	33,4	25,0	9,0	M10x1,25 3/8-24	4400	2980	1,15
2-3/16 2-1/4 2-5/16 2-3/8 2-7/16	60	UC212-35 M-F UC 212-36 M-F UC 212-37 M-F UC 212 M-F UC212-38 M-F UC 212-39 M-F	110,0	75,0	65,1	25,4	39,7	27,0	10,5	M10x1,25 3/8-24	5350	3350	1,55
2-7/16 2-1/	65	UC 213-39 M-F UC 213-40 M-F UC 213 M-F	120,0	82,0	65,1	25,4	39,7	28,0	12,0	M12x1,25 3/8-24	5850	4080	1,75
2-1/2 2-5/8 2-11/16 2-3/4	70	UC214-40 M-F UC214-42 UC 214-43 M-F UC 214-44 M-F UC 214 M-F	125,0	86,5	74,6	30,2	44,4	30,0	12,0	M12x1,25 7/16-20	6350	4590	2,00
2-3/4 2-13/16 2-7/8 2-15/16 3	75	UC215-44 M-F UC215-45 M-F UC 215-46 M-F UC 215-47 M-F UC 215 M-F UC 215-48 M-F	130,0	91,5	77,8	33,3	44,5	30,0	12,0	M12x1,25 7/16-20	6750	5050	2,20
3-3/16	80	UC 216 M-F UC 216-51 M-F	140,0	98,0	82,6	33,3	49,3	33,0	14,0	M12x1,25 7/16-20	7400	5530	2,80
3-1/4 3-7/16	85	UC 217-52 M-F UC 217 M-F UC 217-55 M-F	150,0	105,0	85,7	34,1	51,6	35,0	14,0	M12x1,25 7/16-20	8500	6510	3,55
3-7/16 3-1/2	90	UC 218-55 M-F UC 218-56 M-F UC 218 M-F	160,0	111,0	96,0	39,7	56,3	37,0	14,0	M12x1,25 1/2-20	9750	7300	4,50
4	100	UC 220 M-F UC 220-64 M-F	180,0	125,5	108,0	42,0	66,0	40,0	16,0	M16x1,5 5/8-18	11000	8000	6,50